

Material Safety Data Sheet

1. Product Identification

Product Name: Quick Dry, UV, And Air Brush Top Coats

Manufacturer: JK Shasta TM.

Date: 10/96

2. Hazardous Ingredients

Chemical Names:	CAS Numbers	Exposure Limits			
		ACGIH	TLV	OSHA	PEL
Butyl Acetate	110-19-3				
Tolulene	108-88-3				
Isopropyl Alcohol	67-63-0				
Dibutyl Phthalate	87-74-2				

3. Physical Properties

Vapor Density (air=1): 1
Specific Gravity: 0,98
Solubility in Water: Insoluble
Vapor Pressure, mmHg: N/A
Melting Point: N/A
Boiling Point: 170F
Evaporation Rate(Butyl Acetate=1): N/A

Appearance and Odor: Clear, Viscous Fruity Ester Odor

Flash Point (Method): Closed Tag -30c
Flammable Limits in Air, Volume % 400 LOWER (LEL)
NA UPPER (UEL)

Fire Extinguishing Materials:
Water CO2 Dry Chemical

Special Firefighting Procedures: Fight Fire from a safe Distance. Water may be ineffective due to low Solubility.

Unusual Fire and Explosion Hazards: Use Watere spray for cooling. Water Pressurer Relief System may plug with Solids, increasing the Risk of over Pressure.

Material Safety Data Sheet

5. Health Hazardous Information

Symptoms of Overexposure

Inhaled: Shortness of Breath, Dizziness, Coughing.

Contact with Eyes: Can cause eye irritation, tearing, and burning.

Absorbed Through Skin: Allergic Sensitizer

Swallowed: Slight Hazard if ingested in large quantities.

First Aid - Emergency Procedures

Eye Contact: Flush with water for 25 minutes, including eyelids.
get prompt medical Attention.

Skin Contact: Wash with soap and water.

Inhaled: Remove to fresh air. Give Artificial respiration if needed.

Suspected Cancer Agent: No

This Product's ingredients are not found in the following List: Federal OSHA-NTP-IARC

Medical Conditions Aggravated by Exposure: This material may induce an allergic
Reaction or Sensitization

6. Reactivity Data

Stability: Stable Incompatibility: Strong oxidizing Agents, Heat.

Hazardous Decomposition Products: N/A Hazardous Polymerization: Not expected to occur

7. Spill, Leak, and disposal Procedures

Procedures to be followed in the event of a spill. Evacuate Area, Eliminate Ignition sources. Dike Spill with inert Material. Do not flush into sewers.

Waste Disposal. Incinerate Liquid. EPA Hazardous Waste

Precautions for handling and Storage. This Material is highly volatile. Ground Containers before transferring bulk liquids. Do not use near source of ignition.

Good Personal Hygiene should be practised when handling this material.

Material Safety Data Sheet

8. Special Handling Information

Ventilation and engineering Controls: Local Exhaust

Respiratory Protection: Respiratory Protection is recommended

Eye Protection: Safety Glasses

Gloves: Neoprene

Other Clothing or Equipment: Apron

Other Handling and Storage Requirements: Store in a cool, dry place.

9. Users Responsibility

A bulletin such as this cannot be expected to cover all the possible individual Situations. As the User has the responsibility to provide a safe work place, all aspects of an individual operation should be examined to determine if, or where, precautions in addition to those described herein, are required. Any health Hazard and Safety Information contained Herein should be passed on to your customer and employees, as the case may be. DeEnterprises, Inc. must rely on the User to utilize the information we have supplied to develop work practice Guidelines and employee instructional Programs for the individual Operation and Regulations.

IMPORTANT: Information and Data Herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for consideration, investigation and verification. Buyer assumes all risk of use, storage and handling of the Product in compliance with applicable federal, State and local Laws and Regulations. DeEnterprises, Inc. makes no warranty of any Kind, express or implied, concerning the accuracy or completeness of the Information and Data contained herein regardless of whether it is claimed that the Information and Data are inaccurate, incomplete or otherwise misleading.

Firma maiwell
nail & wellness equipment

Hochheider Weg 75
26123 Oldenburg

Tel.: +49 441 - 93 51 29 - 8
Fax: +49 441 - 93 51 29 - 5
e-Mail: info@maiwell.com
Internet: www.maiwell.com

Inhaberin: Mai Lam
Sitz und Gerichtsstand: Oldenburg

Steuernummer: 64/126/05359

USt-IdNr.: DE213044157