

maiwell Premium anGELic - Pure Creme White

Product Information



Product summary

Premium colour gels made in Germany

Description

maiwell Premium anGELic Pure Creme White (P510) - elegance in its purest form

Give your nails a touch of understated elegance with maiwell Premium anGELic Pure Creme White (P510). This unique colour gel from the anGELic winter collection envelops your nails in a beautiful, creamy white that radiates subtle sophistication thanks to its subtle shimmer.

The image shows: The creamy texture and subtle shimmer of the gel, which is packaged in a high-quality jar for optimal dispensing and durability.

Advantages:

- **Timeless elegance:** The creamy white colour suits every occasion and outfit - a true classic that never goes out of fashion.
- **Decent glamour:** The subtle shimmer gives your nails a touch of luxury and makes them shine without being overpowering.
- **Professional quality:** Like all anGELic colour gels, this product also impresses with its high pigmentation, easy application and long durability.
- **No settling of the pigments:** Even after a long time, the gel retains its even colour and does not need to be shaken up laboriously.

Other properties:

- Colour stable
- Highly opaque
- Curing time: approx. 120 seconds

Experience the magic of the anGELic winter collection and create timelessly beautiful nails with the maiwell Premium anGELic Pure Creme White (P510) that will turn heads!

Technical details & prices

Item number	PG9510
Item weight	0,02 kg
Shipping weight	0,02 kg
Ingredients	Epoxyethacrylat, Polyesterurethanacrylat, Hydroxyethylmethacrylat, Benzoyl Isopropanol, Trimethylbenzoyl Diphenylphosphinoxid, Silica, Propoxyliertes Glycerintriacrylat, p-Hydroxyanisol, Hydrochinonmethylether KANN ENTHALTEN: +/- CI77019, CI77891, CI77491, CI77861, CI77510, CI77742, CI77288, CI77499, CI77492, CI17200, CI60730, CI16255, CI74260, CI77163, CI77220, Natriumaluminiumkalziumsilikat, CI14720, CI77007, CI12085, CI73360, CI11680
Application tips	Die Nägel vor dem auftragen vorbereiten. Feilen und schleifen und einen Primer auftragen. Danach mit einem Pinsel die Farbe bzw. die Modellage auftragen. Nun für 60 Sekunden unter der UV/LED Lampe aushärten. Anschließend mit einem Top Coat versiegeln. Gegebenfalls mit Alkohol die Schwitzschicht des Top Coats entfernen.

Non-binding price

4.90 EUR incl. 19% VAT, plus shipping costs

View product online